Basic Imagery Interpretation Report



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

ı				
ı				
	l			
	l			
ı				
ı				
ı				
ı				
ı				
ı				
ı				

SOLIKAMSK POWDER AND SOLID MOTOR PLANT BOROVSK

STRATEGIC WEAPONS INDUSTRIAL FACILITIES
USSR
JANUARY 1969

25X1A

Declass Review by NIMA / DoD

COPY NO. 123

RECORD COPY		COPY NO.	PUB. DATE	"	OCAT LON			MAST	ER	DATE RECEIVED .	LOCATION		
		Approved	ON DATE(S)	2005	/06/08	: CIA	STOC ROF	278T	04563	MINIMUM 3A000200010017-7	MAXIMUM	10	
CUT TO COPIES	0	1-75	CUT TO COPIES	D	ATE		COPI	ES DE	STROY	ED			
CUT TO COPIES		DATE	CUT TO COPIES	D	ATE								
CUT TO COPIES		DATE	MASTER	D	ATE								
DATE				NUMBI	R OF C	OPIES		DATE		RECEIVED OR ISSUED	NUMBE	R OF C	OPIES
O. DAY	YR.	RECEIVED OR	ISSUED	REC D	ISS'D	BAL	MO.	DAY	YR.	RECEIVED OR 1550ED	REC * D	155'D	BAL
2 10	69	Dist. Unit #	113-122	10		10							
512	24	Heet # 113	-/22.		10	0	<u> </u>			- Marie Control of the Control of th			
İ													
						_							
						-							
\top		-	•										
		Approved	For Release	2005	/06/08	: CIA	RDF	78T	0456	3A000200010017-7			
TITLE]	NPIC			•	•—-			. CLA	٠	LOCATION			

TITLE NPIC SEC. CLASS. LOCATION

1/0497

	L		ı				,						
	ATE		RECEIVED OR ISSUED		ER OF C	OPIES		DATE		RECEIVED OR ISSUED	NUMB	ER OF C	OPIES
٠.	DAY	YR.		REC'D	188'D	BAL	MO.	DAY	YR.	KECEIVED OR 1550ED	REC'D	155°D	BAL
+							ļ		-		-		
1							<u> </u>						
					•								
\dagger							 	 				-	
+					ļ		ļ	<u> </u>					
												1	
\dashv							-						
4													
													•
寸											_	 	
+				- 			ļ				 	ļ	
				İ									
ı										, , , , ,			
\dashv							 						
4							ļ						
							i i] [
1	-										+		
+							 				-		
_										·			
- 1													
25×	1						-						
ITLE		IPIC					SEC	. CLA	ss. L	OCATION			•
				Jan.	1969	(TS						

Approved For Release 2005/06/08 : CIA-RDP78T04563A000200010017-7

INSTALLATION OF ACTIVITY	IAME		COUNTRY	
	der and Solid Motor Plant I	Borovsk	UR	
TM COORDINATES 40VDM844148	59-40-18N 056-42-50E			
MAPREFERENCE USATC, Series	200, Sheet l56-1			
	,	ABSTRACT		
propellant an The rocket m	xamsk Powder and Solid d small rocket motors m	Motor Plant Borovsk ma ade of extruded grains of small horizontal test cell (double base propellant.	
solid rocket n is present ar producing m	notor production plants has not the cell is not operati otors of sufficient size to	milar to test cells at other s been externally completed ional. The plant does not a require a Type B test cell, in order to produce large	but no blast deflector appear to be capable of Therefore, facilities at	
	SUMMAR	RY/CONCLUSIONS		
the purpose duction progr	of which is to allow an o cam. t was road and rail served	udies of Soviet solid prope verall assessment of the S and appeared to be operate s present size was essential	oviet rocket motor pro-	
with other So photography size of this of the facilit test small ex used in the S. It is pred	new test cell suggests that y. A test cell in the Orituded-grain rockets or by A-2 Guideline booster.	imilar to the small horizon tion plants appeared to be ver, no blast deflector has it it is not connected with iginal Test Facility appears undled grains of extruded lity (like those in the other s) may be added in the fut	externally complete on been built. The larger the present production to be large enough to propellant such as that	
	INI	RODUCTION		
Solid Motor I plant consists Motor and P the Double I Base Plant; a	Plant Borovsk which is lost of four separately secure ropellants Production Plasase Plant; an Original Teal New Test Facility (Figura small Explosives Storage	gy of construction of the cated between Solikamsk ared parts: the Double Base ant (Figures 1 and 2) referst Facility (Figures 1 and es 1 and 2) on the south sege Area 1.5 nautical miles	nd Borovsk, USSR. The Solid Propellant Rocket red to in this report as 2) north of the Double ide of the Double Base	
Steamline	es, roads, and rail spurs a	re not included in the chr	onology because of the	
	tability of early photograph			
				٦

25X1A

25X1D

25X1D 25X1D 25X1D

25X1D

25X1D

25X1D Approved For Release 2005/06/08 : CIA-RDP78T04563A000200010017-7

Approved For Release 2005/06/08 : CIA-RDP78T04563A000200010017-7

25X1D

	Table 1. Solika	msk Powder and Solid Motor Plant Borovsk (Item numbers keyed to Figure 2)	
Item	Function/Description	Commonts	
1	Poss motor pool	bldg is between items	25X1D
2	Unidentified bldg	1 and 2 This bldg is outside the secured area	
3 4	Gatehouse Prob inert components	Rail served	-
5	mfg bldg Prob inert components	Rail served; has a prob	25X1D
	mfg bldg	engineering portion attached which was complete	25X1D
6	Covered rail to road transfer point	Rail served	23/10
7	Poss final product shipping bldg	Rail served; may not have been present until later	
8	Poss final product shipping bldg	Rail served; may not have been present until later; items 7 & 8 are separately secured from rest of plant	
9	Prob sensitive com- ponents storage bldg	A small support bldg is on SE side	-
10 11	Prob finishing bldg Prob finishing bldg		
12	Gatchouse		
13 14	Unidentified bldg Prob inert components	Rail served	
15	mfg bldg Prob sensitive com-	May be barricaded	
16	ponent storage bldg Poss barracks		
17	Poss lab/engineering bldg	A bldg on NW side was	25X1D
18	Shop bldg	May not have been present until later;	-
19	Poss lab/engineering	a structure is NW of item	25X1D
20	bldg Prob propellant finish-	A small bldg occupying NE end of	-
	ing bldg	this site was later	25X1D
21	Prob propellant finish- ing bldg		
$\frac{22}{23}$	Storage bldg Prob propellant finish-	Barricaded	-
24	ing bldg Prob sensitive com- ponents preparation		
25 26	bldg Storage bldg Prob sensitive com- ponents preparation	Barricaded	
27	bldg Double base process-		
28	ing bldg Prob propellant finish-		
29	ing bldg Prob propellant finish-		
30	ing bldg Prob propollant finish-	Three 20- x 10-foot horizontal tanks	
	ing bldg	are to the west. A prob guard tower is to the NE	
31	Prob handling bldg	Rail served; served on NW end by overhead crane	_
$\frac{32}{33}$	Poss acid plant Control & switching		
34	house for substation Fabrication/assembly bldg		
$\frac{35}{36}$	Shop bldg Prob propellant finish-	A 20-x 20-foot bldg is on NW side	
37	ing bldg Prob double base		
38	drying bldg Prob double base		
39	drying bldg Unidentified bldg	A guard tower is SE	
40	Prob receiving bldg	Rail served; oldg is on SE side; four 25- x 10-foot horizontal tanks are on north side	25X1D
41	Prob double base drying bldg	with same and an instance place	
42	Prob double base		
43	drying bldg Prob double base		
44	drying bldg Prob double base		-
45	drying bldg Sensitive storage	A similar barricaded bldg to the SW	
46	bldg Prob double base	was later removed	25X1D
	drying bldg		_
47	Prob double base drying bldg		

Approved For Re**1 (2)** Se **3 20 (2) 2 4** 08 : CIA-RDP78T04563A000200010017-7

Table 1. (Continued)

		Table 1. (Continued)	
Item	Function/Description	Com	ments
48	Prob double base drying bldg		·
49	Prob double base drying bldg		
50	Prob double base drying bldg		
51	Prob double base drying bldg		
52	Prob double base drying bldg		
53	Double base process- ing bldg		
54	Double base process- ing bldg		
55	Double base process- ing bldg		
56	Prob double base processing bldg	Later modified or Appeared half ec	,
57	Double base process- ing bldg	Appeared harree	25X1D
58	Double base process- ing bldg		
59	Double base process- ing bldg		
60	Double base process- ing bldg		
61	Double base process- ing bldg		
62 63	Unidentified bldg Double base process-	Barricaded	
64	ing bldg Double base process-	A barricaded poss	ble payagned
65	ing bldg Sensitive storage bldg	shelter is on the	
66	Double base process- ing bldg	A small support bl	dg is SE
67	Double base process- ing bldg		
68	Prob receiving bldg	Rail served; may blarged later	ave been en-
69 70	Prob pumphouse Semiburied tank	A small support bl A tank between items 70	is . OEV4D
71	Semiburied tank	guard post is SE	
72 73	Prob tanks Ingredient prepara-	Earth mounded	
74	tion bldg Ingredient prepara-		
7 5	tion bldg Ingredient prepara-	Rail served	
76	tion bldg Ingredient prepara-	Rail served	
77	tion bldg Admin bldg or gate- house	An admin area con bldgs and 5 smal outsido fence to	structures is
78	Prob barracks/admin bldg	Three structures	are on south side 35×1B
79 80	Poss engineering bldg Unidentified structures	Rail served	25/10
81 82	Unidentified structures Unidentified structures		
83	Poss acid recovery bldg	A prob acid storag 4 bldgs	051/40
	0.46		
84	Poss acid recovery	SE A small tank is to	the SE
85	bldg Prob nitrator bldg	Probably Schmid-M	
86	Nitrator/separator bldg	Probably Biazzi-ty	
87	Prob nitroglycerin wash house		•
88 89	Rest house Rest house		
90	Prob nitroglycerin wash houso	Had connecting wa covered pipolines	
91	Nitrator/separator	Barricading appear	<u></u>
	bldg		ably Biazzi- 25X1D
92 93	Poss tank Rest house		cture is NE cd complete on 25X1D 25X1D
$\frac{94}{95}$	Nitroglycerin magazine Nitroglycerin magazine		25/10
96 9 7	Nitroglycerin magazine Double base propellant	A small support bl	dg is on south
98	mixing bldg Double base propellant	side	_
	mixing bldg	4 -	

25X1D

25X1D


25X1D

25X1D

25X1D

25X1D

Table 1. (Continued)



DESCRIPTION

Double Base Plant

The Double Base Plant appears to be typical of Soviet-designed plants. The nitroglycerin production area of the Double Base Plant contains three nitration lines. The nitrator building in one of the lines appears to contain the older Schmid/Meissener-type nitrator (item 85, Table 1 and Figure 2) identical to that used in one of the nitrator buildings at Sterlitamak. The other two nitrators (items 86 and 91) appear to use the newer Biazzi process and seem to be identical to those identified at Kamensk-Shakhtinskiy, Perm, Biysk, Krasnoyarsk, and Sterlitamak. 1-5/

25X1D

25X1D

Approved For R ₹⊜₽ se ∑⊉0₹₽ \$/08 : CIA-RDP78T04563A000200010017-7	Approved For R ፑ(ዓቶ se S ፫ርር የ / ቦ	08 : CIA-RDP78T04563A000200010017-7
--	--	-------------------------------------

Table 2. Solikamsk New Test Facility (Item numbers keyed to Figure 2)




Table 3. Solikamsk Original Test Facility (Item numbers keyed to Figure 2)

[tem	Function/Description	Comments
1	Above ground tank	
2	Above ground tank	
3	Semiburied tank	
4	Prob small motor/com- ponent test cell	Ias blast containment we between the test cell and the blackers.
5	Prob engineering bldg	Four stories
6	Bldg under construc- tion	Inder construction outside secured area
7	Prob barricade	robably used in connection with shell test range
	7 Support bldgs	· · ·

The nitrocellulose production facilities in the Double Base Plant appear to be typical of Soviet nitrocellulose production areas. A nitric acid plant (item 121) between the nitroglycerin and nitrocellulose areas probably supplies acid to both. No evidence of sulfuric acid production can be found. Sulfuric acid, glycerol, neutralizing agents, and solvents are probably brought into the plant by rail.

A separately secured probable shipping area (items 7 and 8) is in the southern part of the plant. A walled administration and maintenance area occupies the southeast corner of the plant.

The Double Base Plant appears to have two distinct production lines. One double base propellant production line appears to lead from the probable double base mixing buildings (items 102 and 103) through the large rolling and extrusion building (item 114), through the double base processing buildings (items 130 and 132) to the probable propellant finishing building (item 129).

Double base propellant also appears to move from the probable double base mixing buildings (items 102 and 103) through the double base processing buildings (items 27, 53, 54, 55, 57, 58, 59, 60, 61, 63, 64, 66, 67, 105, and 106). The fact that the plant was probably operational when it was first observed strongly suggests that these buildings were then producing double base propellants for conventional weapons; however, the same type of building may be used to produce casting powder.*

Original Test Facility

The Original Test Facility contains, in addition to a probable shell test range, a small horizontal test cell (Type F) similar to one in the Original Test Facility connected with

^aCasting powder is a double base propellant in granular form. It is poured into a mold or motor case and a solvent, usually mostly nitroglycerin, is added to the casting powder to form a homogeneous solid propellant.

25X1D Approved For Release 2005/06/08 : CIA-RDP78T04563A000200010017-7

the Double Base Plant at Munitions & Chemical Combine K. Kirov 98 at Perm, USSR. 2/ The test cell has an attached building and blast containment walls which connect it with the blast deflector. The test cell is probably used for the testing of small extrudedgrain rockets and appears to be capable of testing motors of SA-2 Guideline booster class.

Several support structures, the probable shell test range, and some tankage are also within the secured heavily wooded area. Three support structures and one multistory probable engineering building are outside the secured area of the Original Test Facility. Some or all of the structures in the secured area of the test facility may have been present

New Test Facility

25X1D

25X1D

25X1D [

The test cell in the New Test Facility appears to be larger than would be necessary for the testing of bundled grain-type rocket motors or other small extruded-grain rockets which may be produced at the Double Base Plant. The test cell (item 1, Table 2 and Figure 2) is nearly identical to test cells at Sterlitamak, Krasnoyarsk, and Biysk. The blast deflector normally associated with this type of test cell is not yet evident. It is anticipated that the fence on the northwest side of the test facility will be moved in order to make room for the construction of the blast deflector. That construction practice was used in the building of the blast deflector for the test cell at Sterlitamak. 5/

This is a small area containing 13 storage buildings, which were complete

Explosives Storage Area

25X1D	and four other small support buildings. Two of these support buildings were first
25X1D	observed The roof cover of the buildings in the area
25X1D	
	Related Facilities
25X1A	Cellulose is obtained from Solikamsk Cellulose Plant Borovsk 2 nm northwest of the Double Base Plant. 6/
25X1D	
'	KH-4 photography of poor interpretability confirmed the existence of the facility, but no details were obtainable.
25X1D	KH-4 photography of poor interpretability showed that most of the buildings in the plant were complete. Two of the nitroglycerin lines and the nitrocellulose processing area
	were complete. The double base mixing buildings were probably present but were indiscernible. All the other elements necessary for production were present. The outline of the Original Test Facility was identifiable, although individual buildings were not discernible. The Explosives Storage Area appeared to be essentially complete. A large
25X1D	probable double base processing building outside the wall on the southwest side of the plant appeared to be complete. It was later partially razed. The total roof cover (given for the Double Base Plant only) was 1,012,830 square feet.
25X1D	V, ,, 1
•	KH-4 coverage of improved interpretability confirmed the presence of the previously

identified buildings. The fence lines on the northwestern end of the plant had been extended. Three double base processing buildings (items 130-132, Table 1 and Figure 2) and a probable propellant finishing building (item 129) had been completed. Three double base mixing buildings (items 97-99) were observed to be complete. A barricaded storage building (item 25) and two probable propellant finishing buildings (items 21 and 29) had also been completed. A control and switching house and a substation (item 33) became evident, along with numerous other support buildings. A buried tank and four support structures were observed in the Original Test Facility. Additional roof cover (given for the Double Base Plant and the Original Test Facility) was 336,300 square feet.

25X1	Approved For Re TΩB e Σ50€75 0/08 : CIA-RDP78T04563A000200010017-7
25X1D	
25V1D	No significant change was observed on photography of poor interpretability.
25X1D	Three new support buildings were completed in the New Test Facility. Several support structures were also completed with the Double Base Plant. A multistory probable engineering building (item 5, Table 3), a small motor/component test cell (item 4), and a support building were evident in the Original Test Facility. The small test cell was probably present considerably before this time but was not discernible. Additional
25X1D	roof cover in all three areas
25X1D	
	A horizontal test cell (item 1, Table 2) was under construction in the New Test Facility. Three support buildings, two above-ground tanks, and a probable impact bunker (item 3) for a probable shell test range were also evident. This stereo photography, the best to date also showed the completion of the barricading of the buildings in the third nitroglycerin line (items 91 and 93, Table 1), the completion of a probable propellant finishing building (item 20), two support buildings, one unidentified building, and an addition to a probable inert components manufacturing building (item 5) in the Double Base Plant. Additional roof cover in the Double Base Plant and the New Test Facility
25X1D	
!	Essential Services
	The plant is road and rail served. Heat is supplied by a steam plant adjacent to the northeast side of the plant. Electricity is supplied to the plant from a local source.
9	Security
a a	The Double Base Plant is secured by a wall and fences. The Original Test Facility lso has both a wall and a fence. The New Test Facility is walled. The nitroglycerin rea is separately walled, and the maintenance and service area is separated from the

double base production area by a wall.

1	Approved For F@₽ a \$€£0057 05/08 : CIA-RDP78T04563A000200010017-7	
	REFERENCES	
1D		
	MAPS OR CHARTS	
IC	USATC. Series 200, Sheet M0156-1HL, 3d ed, Sep 67 (SECRET 1	
C	DOCUMENTS	

25X1

2. NPIC.

CODEWORD-

3. NPIC. Chrono USSR, Dec 66 (TOP SECRET

25X1 25X1

25X1

Approved For Release 2005/06/08 : CIA-RDP78T04563A000200010017-7

tions and Chemical Combine K. Kirov 98, Perm, USSR, Feb 67 (TOP SECRET

Chronological Development of Selected Solid Propellant Facilities at the Muni-

Production Facilities, Biysk,

25X1

25X1

25X1

REQUIREMENT

COMIREX 335-69 NPIC Project 210441 25X1

25X1

25X1